Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7415	((third)same(party or entity or node)same(prov\$5 or associat\$5 or relation\$5)same(second)same(first))(verif\$5 or parameter or cryptographic or check\$5 or signature)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 18:59
L2	1330	(380/30).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 18:55
L3	868	(713/155).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 18:56
L4	2133	(380/30,44).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2007/09/13 18:55
L5	1646	(713/155,171).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 18:56
L6	3574	L4 or L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 18:56
L7	138	L1 L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 18:57
L8	121	L7(verif\$5 or parameter or cryptographic or check\$5 or signature or association or prov\$5). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 18:59
L9	90	L8 (hash or hierarch\$5 or tree)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 18:59
L10	90	L9(second)same(first)same(third)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:00
L11	48	L9(second)same(first)same(third). clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:02

L12	1	ligun near chen.in.	US-PGPUB;	AND	ON	2007/09/13 19:01
			USPAT; EPO; JPO; IBM_TDB			
L13	6	alexander near harrison.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:01
L14	5	david near soldera.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:02
L15	11	L12 or L13 or L14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:02
L16	4	L15(second)same(first)same(third)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:14
L17	13	"6185685"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:14
L18	45	"5124117"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:14
L19	58 _.	L17 or L18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:15
L20	1	L11 L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:17
L21	105	L11 or L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:17
L22	2	L21 (weil or tate)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:18
L23		L21 (weil or tate or bilinear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:21

L24	2	L21 (weil or tate or bilinear)(second)same(first)same(th ird)(verification or parameter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND .	ON	2007/09/13 19:21
L25	2670	(weil or tate or bilinear)(second)same(first)same(th ird)(verification or parameter or association)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:48
L26	16	L6 L25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:26
L27	1	"20030182554"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:27
L28	1	"20050276414"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:39
L29	1	"20040186999"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:27
L30	1	L27 (third)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:28
L31	1	L27 (third or PKG)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:28
L32	1	"20040064700"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:42
L33	1	"20030041262"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:43
L34	1	"20030179885"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:45
L35	1	L34 (PKG or third)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:45

L36	1	L34 (PKG or third)same(first or	US-PGPUB;	AND	ON	2007/09/13 19:46
		second)	USPAT; EPO; JPO; IBM_TDB			
L37	258502	(PKG or third)same(first or second)same(prov\$5 or associat\$5 or verif\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:46
L38	63157	(PKG or third or trusted)same(first or second)same(prov\$5 or associat\$5 or verif\$5)(parameter or check\$5)same(second or verif\$5 or associat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:48
L39	397	L38(weil or tate or bilinear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:48
L40	357	L38(weil or tate or bilinear)(parameter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:48
L41	171	L38(weil or tate or bilinear)(parameter)same(three or third)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:49
L42	38	L38(weil or tate or bilinear)(parameter)same(three or third).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 19:54
L43	1	11/166921	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 20:07
L44	2	"1378821"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 20:27
L45	3	myungsun near kim.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 21:14
L46	316	(product or element)same(parameter)(party or entity or hierarch\$5)(tate or bilinear)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 21:15
L47	190	L46 ((third or second or PKG)same(check\$5 or match\$5 or compar\$5 or party or entity))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	AND	ON	2007/09/13 21:16

L48	34	L47 (associat\$5 or verif\$5 or prov\$5).ab.	US-PGPUB; USPAT; EPO; JPO;	AND	ON	2007/09/13 21:17
	1		IBM_TDB			



Images Video News Maps

tate bilinear proving association

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 177 for tate bilinear proving associative

All Results

L Chen

S Chow

J Camenisch

D Boneh

K Ribet

Method and apparatus for use in relation to verifying an association between two parties

L Chen, KA Harrison, D Soldera - 2004 - freepatentsonline.com

... that it enables the second party to prove its association ... is enabled by the use of bilinear mappings as ... to embodiments based on modified Tate pairings (though ... Cached - Web Search

Signature schemes and anonymous credentials from bilinear maps - all 8 versions »

J Camenisch, A Lysyanskaya - Advances in Cryptology—CRYPTO, 2004 - Springer ... the LRSW assumption for groups with bi- linear maps. ... Signature Schemes and

Credentials from Bilinear Maps 59 ... based on the Weil and Tate pairings over ... Cited by 60 - Related Articles - Web Search - BL Direct

Authentication method and apparatus using pairing functions for the elliptic curves based ...

L CHEN, KA HARRISON, D SOLDERA - EP Patent 1,378,821, 2004 - freepatentsonline.com ... that it enables the second party to prove its association ... is enabled by the use of bilinear mappings as ... to embodiments based on modified Tate pairings (though ... Cached - Web Search

Trusted authority for identifier-based cryptography

KA Harrison, L Chen, J Malone-Lee - 2005 - freepatentsonline.com ... is a modification of the Weil/Tate pairing ... in identifier-based cryptography based on bilinear maps ... the first trusted authority know (thus proving the association ... Cached - Web Search

A forward-secure public-key encryption scheme - all 17 versions »

R Canetti, S Halevi, J Katz - Proceedings of Eurocrypt, 2003 - Springer ... construct our underlying primitive, BTE, and prove its security ... 1. The mape is bilinear: that is, for all ... be constructed from Weil and Tate pairings associated ... Cited by 108 - Related Articles - Web Search - BL Direct

Separating Decision Diffie-Hellman from Computational Diffie-Hellman in Cryptographic Groups - all 7 versions »

A Joux, K Nguyen - Journal of Cryptology, 2003 - Springer

... However, proving the hardness of the DL problem ... algorithm makes use of bilinear functions called pairings ... The second construction, called the Tate pairing, was ... Cited by 137 - Related Articles - Web Search - BL Direct

The Mumford-Tate group of 1-motives (Le groupe de Mumford-Tate des 1motifs) - all 15 versions »

C Bertolin - Annales de l'institut Fourier, 2002 - aif.cedram.org

... defined in (1.3.2). We only have to **prove** that I ... in terms of the non degenerate R-bilinear form , : V ... ANNALES DE L'INSTITUT FOURIER THE MUMFORD-TATE GROUP OF 1 ...



<u>Web Images Video News Maps **more**»</u>

tate association parameter hierarchy

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 2,720 for tate association parameter h

All Results

Did you mean: **state** association parameter hierarchy

R Wong

D Songer

C Tate

R Liboff

M Cassan

two parties
L Chen, KA Harrison, D Soldera - 2004 - freepatentsonline.com

... parameter)=p (first product, second verification parameter) means responsive ... confirm

Method and apparatus for use in relation to verifying an association between

that there exists an association between the ... p is based on a Tate or Weil ...

Cached - Web Search

<u>Authoritarianism and the Functions of Courts: A Time Series Analysis of the Philippine Supreme Court ...</u>

CN Tate, SL Haynie - Law & Society Review, 1993 - JSTOR

... Supreme Court, 1961-1987 Predictor **Parameter** Estimate Changea T ... International Political

Sci- ence Association, Washington, DC ... Tate & Haynie 739 Tate C. Neal, & ...

Cited by 18 - Related Articles - Web Search - BL Direct

<u>Understanding Cross-National Variation in Occupational Mobility</u>

RSK Wong - American Sociological Review, 1990 - JSTOR

... the FJH thesis neglect the natural hierarchy of occupations ... 3 The size of the general

association parameter (qb) is ... To facili- tate a systematic exploration of ...

Cited by 22 - Related Articles - Web Search

The Hierarchy of Justice: Testing a Principal-Agent Model of Supreme Court-Circuit Court ...

DR Songer, JA Segal, CM Cameron - American Journal of Political Science, 1994 - JSTOR ... of the American Political Science **Association**, Chicago ... is superior to plausible alternatives.~ The **parameter** estimate for ... Carp and Rowland 1983; **Tate** 1981; **Tate** ... Cited by 100 - Related Articles - Web Search

<u>Hierarchical saturation of soil carbon pools near a natural CO2 spring</u> DM KOOL, H CHUNG, KR **TATE**, DESJ ROSS, PCD NEWTON, ... - Global Change Biology, 2007 - ingentaconnect.com

... Based on modeled function **parameters** and the observed ... sink, elevated CO 2, grassland.

hierarchy, soil aggregation ... stabiliza- tion of C by association with the ...

Related Articles - Web Search

<u>Authentication method and apparatus using pairing functions for the elliptic</u> curves based ...

L CHEN, KA HARRISON, D SOLDERA - EP Patent 1,378,821, 2004 - freepatentsonline.com ... X)) = EMR19.2 (first product (RTAI), second verification **parameter** (Y)) the **association** between the ... bilinear mapping function p is based on a **Tate** or Weil ... Cached - Web Search

Department of Solid State Physics, Indian Association for the Cultivation of